


DATA SHEET

o Type.....	ASA 63a-4
o Reference standard.....	IEC 60034-1 EN 60079-0 EN 60079-1
o Rated output.....	0.12 kW
o Rated stator voltage.....	400V
o Stator current at 100% load at 400 V.....	0.40 [A]
o Number of poles.....	4
o Rated speed.....	1380 rev/min
o Rated frequency.....	50 Hz
o Efficiency at 100% load.....	62.7%
o Power factor at 100% load.....	0.69
o Break-down torque.....	2.4 x Mn
o Locked rotor torque.....	2.4 x Mn
o Locked rotor current.....	3 x In
o Rotor inertia.....	0.000206 kgm ²
o Insulation class.....	F
o Direction of rotation.....	Both(CW&CCW)
o Protection degree.....	≥IP55
o Mounting.....	IM
o Cooling method.....	IC 411
o Max. ambient temperature.....	40°C
o Altitude.....	1000m
o Bearing type.....	6202 2Z drive end 6202 2Z non drive end
o Weight.....	12 Kg
o Outline drawing.....	Page 2
o Vibration level :	A (acc.IEC 60034-14)
o Noise level	acc.IEC 60034-9
o Cable entries.....	1xM25x1.5
o Climate execution	N



The overall and mounting dimensions

IM 1001




Frame size	Dimensions (mm)																			
	Foot mounting									Shaft extension						HD	AC	L	a	b
63a-4	A	B	C	H _{0.5}	K	AA	AB	BB	BC	HA	D	E	F	GA	d					
	100	80	40	63	7	31	131	104	28.5	9	11j6	23	4h9	12.5	M4	200	125	259	100	105

**The overall and mounting dimensions
IM 3001; IM 3011**




Frame size	Dimensions (mm)																		
	Flange mounting (B5)					Shaft extension					HD1	AC	LA	LB	L	L ₁	a	b	c
	N	M	P	S	T	D	E	F	GA	d									
63a-4	95j6	115	140	10	3	11j6	23	4h9	12.5	M4	137	125	8	236	259	273	100	105	95

The overall and mounting dimensions
IM 3601



Frame size	Flange	Dimensions (mm)													
		Flange mounting (B14)					Shaft extension		HD1	AC	LB	L	a	b	c
		N	M	P	S	T	D	E							
63a-4	F75	60j6	75	90	M5	2.5	11j6	23	137	125	236	259	100	105	95
	F100	80j6	100	120	M6	3									

**The overall and mounting dimensions
IM 2001**



Frame size	Dimensions (mm)																				
	Foot mounting					Flange mounting					Shaft extension					HD	L	L1	a	b	c
	A	B	C	H _{0,5}	K	N	M	P	S	T	D	E	F	GA	d						
63a-4	100	80	40	63	7	95j6	115	140	10	3	11j6	23	4h9	12.5	M4	200	259	273	100	105	95